

The Commonwealth of Massachusetts Division of Professional Licensure

239 Causeway Street ☐ Boston, MA 02114 (617) 727-6652

Board of State Examiners of Plumbers and Gasfitters Forms available at http://www.state.ma.us/reg/boards/pl/forms.htm

<u>APPLICATION FOR EXTENDED (3 YEAR) TESTING LABORATORY APPROVAL-</u> <u>FEE \$150.00</u>

1.	Laboratory Name:
2.	Laboratory Address:
3.	Telephone Number:() Toll Free ()
4.	List Board approval number (if
	known)
5.	List 3 plumbing/gas manufacturer's products with model numbers tested since last Board approval:
	1.
	2.
	3.
6.	Has your laboratory approval ever been revoked by any certifying administrative
	agency since last approval?
	Yes No If yes, explain separate sheet.

7.	Notarized "Testing Laboratory Statement of Independence" attached?				
Yes_	No				
NOTE:	248CMR 2.04(22)b states: <u>"Extended Approval.</u> Prior to the expiration of any initial approval, each approved testing laboratory shall apply				
for, ar	for, and				
	obtain an extend approval for three years, and shall renew every three				
	years, and shall renew every three years thereafter."				
Signatu	ure Printed Name and Title				
	Date				

		certifies that, with reference to plumbing and/orgas	
_	Laboratory Name	products being tested:	
a.	There are no managerial	affiliations with any producer, supplier or vendor, and	
b.	b. There are no securities investments in the product line, andc. There are no stock options in the product line, and		
C.			
d.	The employment security	of personnel is free from influence by the products,	
	supplier or vendor, and		
e.	The agency is not owned	, operated, or controlled by any producer, supplier, or	
	vendor.		
_		Address and Phone	
	sident or C. E. O		
(Sig	nature)		
State o	f:		
	of:		
		 in the year	
	me		
		sonally known to me (or proved to me on the basis of	
satisfac	·	son(s) whose name(s) is(are) subscribed to this	
	ent, and acknowledge that h		
motram	ont, and doknowledge that i	ic (she)/(they) exceeded it.	
	SS my hand and official seal		
WITNES	,		
WITNES			